

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
ACTING AS THE INTERNATIONAL RECEIVING OFFICE

In re application of:

CSP Technologies, Inc. et al.

Authorized Officer:

Mark Hogarth

International Application No.

PCT/US2005/010362

International Filing Date:

29 March 2005

Attorney Docket No.:

62357.023801

For: Re-Sealing Mechanism for a  
Solid Dosage Dispenser

Commissioner for Patents

Mail Stop PCT

P.O. Box 1450

Alexandria, VA 22313-1450

AMENDMENT TO THE CLAIMS BEFORE THE INTERNATIONAL BUREAU  
UNDER ARTICLE 19

Sir:

Pursuant to Article 19, Applicants respectfully request amendment of the claims as follows:

\* \* \*

CERTIFICATE OF EXPRESS MAIL


Date: August 3, 2005

Express Mail Label No.: EV 569744126 US

I hereby certify that this paper, along with any document or paper referred to as being attached, is being deposited with the United States Postal Services "EXPRESS MAIL POST OFFICE TO ADDRESSEE" service under 37 CFR 1.10 in an envelope addressed to the Commissioner for Patents, Mail Stop PCT, P.O. Box 1450, Alexandria, VA 22313-1450.

Randi Flamenbaum

(Name of person mailing correspondence)



(Signature of person mailing correspondence)

EV569744126US

-2-

**In the Claims:**

1. (Amended) A method of dispensing at least one solid dosage form comprising the steps of:
  - opening a resealable container and lid assembly, wherein the container comprises a reservoir for storing solid dosage forms and an opening for dispensing individual solid dosage form; the opening further comprises an elastomeric seal that is at least partially located circumferentially around the opening; the lid comprises a plug that is integrally attached to an inner portion of the lid and the lid consists of a hinge attached to the container that functions to rotate the lid at one pivot point;
  - dispensing at least one solid dosage form from the reservoir of the container and through the opening;
  - applying a sufficient pressure [upon an outer portion of the lid so that the plug engages the elastomeric seal of the opening;
  - maintaining the sufficient pressure by a [latch] securing mechanism located on both the container and the lid to form a substantially moisture-tight seal between the plug and the elastomeric seal of the opening;
  - opening the resealable container and lid assembly by removing the sufficient pressure;
  - dispensing at least one solid dosage form the reservoir of the container and through the opening;
  - again applying a sufficient pressure [upon an outer portion of] to the lid so that the plug engages the elastomeric seal of the opening; and
  - maintaining the sufficient pressure by a securing mechanism located on both the container and the lid to form a substantially moisture-tight seal between the plug and the elastomeric seal of the opening.
2. (Amended)      The method of claim 1 wherein, when the plug engages the elastomeric seal, a top portion of the plug contacts [the] a top portion of the elastomeric seal.
3. (Amended)      The method of claim 1 wherein, when the plug engages the elastomeric seal, at least a portion of the plug passes through [or around] the opening such that an outer side portion of the plug contacts at least partially a portion of the elastomeric seal.

-3-

4.      (Previously presented) The method of claim 1 wherein the opening further comprises a foil that at least covers the opening and, when sufficient pressure is applied upon an outer portion of the lid, the plug engages the foil of the opening to form a foil seal.
5.      (Previously presented) The method of claim 1 wherein a moisture-tight seal is formed.
6.      (Previously presented) The resealable method of claim 1 wherein the plug and the container are composed of similar material.
7.      (Previously presented) The resealable method of claim 1 wherein the plug and the container are composed of different material.
8.      (Previously presented) The resealable method of claim 1 wherein the lid is integral with the container and comprises a living hinge with the container.
9.      (Previously presented) The resealable method of claim 1 wherein the sealing mechanism comprises a plug having two distinct movements to release in order to create a child resistant package.
10.     (Previously presented) The resealable method of claim 1 wherein the solid dosage forms are diagnostic test strips.
11.     (Previously presented) The resealable method a dispenser of claim 1 wherein the solid dosage forms are selected from the group consisting of Gel Cap dosages, coated tablets, edible films, lozenges, and effervescent tablets, compressed tablets, fast melt tablets, liquid filled beads, capsules, and pouches.
12.     (Previously presented) The resealable method of claim 1 wherein the securing mechanism comprises a projection on the inner portion of the lid and a corresponding slot on the container.
13.     (Previously presented)              The resealable mechanism of claim 1, wherein the lid of the dispenser catches and holds the solid dosage form.


-4-

## REMARKS

Claim 4 has been cancelled. Claim 14 has been added. Claims 1-3 and 5-13 are pending. The amendments to the pending claims are fully supported by the original filed specification and thus, no new matter has been added.

It is respectfully submitted that the invention recited by pending claims is patentable. Moreover, no fee is believed to be due in connection with the filing of this paper. However, if any fee is due, the Commissioner is authorized to charge any fees which may be required or credit any overpayment to Deposit Account No. 501561.

Respectfully submitted,



---

Barry J. Schindler  
Registration No. 32,938

Greenberg Traurig, LLP  
Met Life Building  
200 Park Avenue  
New York, NY 10166  
Tel: 212-801-3123  
Fax: 212-801-6400  
E-mail: SchindlerB@gtlaw.com

What is claimed is:

1. A method of dispensing at least one solid dosage form comprising the steps of:
  - opening a resealable container and lid assembly, wherein the container comprises a reservoir for storing solid dosage forms and an opening for dispensing individual solid dosage form; the opening further comprises an elastomeric seal that is at least partially located circumferentially around the opening; the lid comprises a plug that is integrally attached to an inner portion of the lid and the lid consists of a hinge attached to the container that functions to rotate the lid at one pivot point;
  - dispensing at least one solid dosage form from the reservoir of the container and through the opening;
  - applying a sufficient pressure ~~upon an outer portion of~~ (or Force) to the lid so that the plug engages the elastomeric seal of the opening;
  - maintaining the sufficient pressure by a ~~latch~~-securing mechanism located on both the container and the lid to form a substantially moisture-tight seal between the plug and the elastomeric seal of the opening;
  - opening the resealable container and lid assembly by removing the sufficient pressure;
  - dispensing at least one solid dosage form the reservoir of the container and through the opening;
  - again applying a sufficient pressure ~~upon an outer portion of~~ to the lid so that the plug engages the elastomeric seal of the opening; and
  - maintaining the sufficient pressure by a securing mechanism located on both the container and the lid to form a substantially moisture-tight seal between the plug and the elastomeric seal of the opening.
2. The method of claim 1 wherein, when the plug engages the elastomeric seal, a top portion of the plug contacts ~~the~~ a top portion of the elastomeric seal.
3. The method of claim 1 wherein, when the plug engages the elastomeric seal, at least a portion of the plug passes through or around the opening such that an outer side portion of the plug contacts at least partially a portion of the elastomeric seal.

3. The method of claim 1 wherein, when the plug engages the elastomeric seal, where the plug passes over the opening such that an inner side portion of the plug contacts at least partially a portion of the elastomeric seal.
4. ~~The method of claim 1 wherein the opening further comprises a foil that at least covers the opening and, when sufficient pressure is applied upon an outer portion of the lid, the plug engages the foil of the opening to form a foil seal.~~
5. The method of claim 1 wherein a moisture-tight seal is formed.
6. The resealable method of claim 1 wherein the plug and the container are composed of similar material.
7. The resealable method of claim 1 wherein the plug and the container are composed of different material.
8. The resealable method of claim 1 wherein the lid is integral with the container and comprises a living hinge with the container.
9. The resealable method of claim 1 wherein the sealing mechanism comprises a plug having two distinct movements to release in order to create a child resistant package.
10. The resealable method of claim 1 wherein the solid dosage forms are diagnostic test strips.
11. The resealable method a dispenser of claim 1 wherein the solid dosage forms are selected from the group consisting of Gel Cap dosages, coated tablets, edible films, lozenges, and effervescent tablets, compressed tablets, fast melt tablets, liquid filled beads, capsules, and pouches.

12. The resealable method of claim 1 wherein the securing mechanism comprises a projection on the inner portion of the lid and a corresponding slot on the container.

The resealable mechanism of claim 1 where the lid of the dispenser catches and holds the solid dosage form.